



MICROPLANET LABORATORIOS, SL
www.microplanet-psl.com
info@microplanet-psl.com
Tel. 93 590 62 92

PRODUCTOS Y SERVICIOS PARA LABORATORIOS



Medios de cultivo deshidratados



Mejorando la calidad y la productividad en su trabajo

Dehydrated Culture Media

Description		Packaging	Ref.
A1 Medium	APHA	500 g 100 g 5x5 mL	610105 620105 80046
Basal liquid medium for fecal coliforms detection in water and food. TRITON X 100 supplement			
Acetamide Agar		500 g	610312
Medium for differentiation of nonfermentative, Gram-negative bacteria, especially <i>Pseudomonas aeruginosa</i> , on the basis of acetamide utilization.			
Acetamide Broth		500 g	610313
Broth for the differentiation of nonfermentative, Gram-negative bacteria, especially <i>Pseudomonas aeruginosa</i> , on the basis of acetamide utilization.			
Acetamide Broth ISO 16266		500 g	610392
Liquid medium for detection of <i>P. aeruginosa</i> in water samples, according to ISO 16266.			
Aeromonas Agar Base		500 g 100 g 10 vials	610048 620048 81001
Basal medium for selective isolation of <i>Aeromonas spp.</i> Ampicillin supplement			
Alkaline Peptone Water	APHA	500 g 100 g	610098 620098
Liquid enrichment medium for <i>Vibrio spp.</i> isolation.			
Amies Transport Medium (with charcoal)		500 g 100 g 5 kg	610152 620152 6101525
Semi-solid medium for transport of clinical, environmental specimens and of microorganisms.			
Amies Transport Medium (w/o charcoal)		500 g 100 g 5 kg	610191 620191 6101915
Semi-solid medium for transport of clinical, environmental specimens and of microorganisms.			
Amos Kont Jones Medium		500 g	610386
Liquid medium for detection of thermophilic microorganisms in food.			
Anaerobic Agar (Brewer)		500 g	610320
Medium for cultivating anaerobic microorganisms.			
Andrade Lactose Peptone Water		500 g	610118
Liquid medium for coliforms detection with andrade's indicator.			
Andrade Peptone Water		500 g 100 g	610119 620119
Liquid enrichment medium with andrade's indicator.			
Antibiotic Agar No.1	E.P.	500 g	610314
Surface medium for the antibiotic assay by Agar-diffusion method.			
Antibiotic Broth No.3	U.S.P.	500 g	610316
Broth for turbidimetric assay of antibiotics.			
Antibiotic Agar No.11	E.P.	500 g	610315
Medium for the microbiological assay of neomycin, used for the base and seed layers.			
APT Agar	APHA	500 g	610300
Medium for counting and cultivating heterofermentative lactic acid bacteria. Tween 80 supplement		2x50 mL	80031
Arginine Decarboxylase Broth		500 g	610306
Broth for the detection of the production of arginine decarboxylase by Enterobacteriaceae.			
Asparagine Enrichment Broth	APHA	500 g 100 g	610138 620138
Liquid medium for <i>Pseudomonas aeruginosa</i> detection with MPN method in swimming pools and waters designed for bathing.			
Azide Blood Agar Base		500 g 100 g 50 mL	610153 620153 83296
Selective basal medium for streptococci isolation. Sheep Blood Defibrinated			
Azide Dextrose Broth	APHA	500 g 100 g	610003 620003
Selective liquid medium for fecal streptococci detection in water and food.			
Azide Maltose Agar KF	APHA	500 g 100 g 5x10 mL	610154 620154 80300
Selective medium for fecal streptococci isolation and enumeration. TTC 1% supplement			
Azide Violet Blood Agar Base		500 g	610155
Selective basal medium for streptococci isolation. Sheep Blood Defibrinated		50 mL	83296
Bacillus Cereus Agar Base (MOSSEL, MYP)	ISO 7932	500 g 100 g	610114 620114
Basal medium for selective isolation and enumeration of <i>Bacillus cereus</i> .			
Egg Yolk emulsion	ISO 7932	4x50 mL	80219
Supplement for lecithinase producers bacteria (<i>Staphylococcus</i> , <i>Bacillus</i> and <i>Clostridium</i>) isolation.			
<i>Bacillus cereus</i> supplement (Polymyxin B)		10 vials	81016
Bacillus Cereus Agar Base (PEMBA)	ISO 21871	500 g 100 g	610136 620136
Basal medium for selective isolation and enumeration of <i>Bacillus cereus</i> .			
Egg Yolk emulsion	ISO 7932	4x50 mL	80219
Supplement for lecithinase producers bacteria (<i>Staphylococcus</i> , <i>Bacillus</i> and <i>Clostridium</i>) isolation.			
<i>Bacillus cereus</i> supplement (Polymyxin B)		10 vials	81016

Dehydrated Culture Media

Description		Packaging	Ref.
Baird Parker Agar Base Selective basal medium for <i>Staphylococcus aureus</i> isolation.	ISO 6888-1	500 g 100 g	610004 620004
Egg Yolk Tellurite emulsion Supplement for coagulase positive staphylococci isolation in food.	ISO 6888-1	4x50 mL	80122
R.P.F. supplement Selective and diagnostic supplement for isolation, enumeration and confirmation of <i>Staphylococcus aureus</i> from food and other specimens.	ISO 6888-2	8 vials	81057
Baird Parker Agar Base acc. to E.P. Selective basal medium for <i>Staphylococcus aureus</i> isolation.	E.P.	500 g	610338
Egg Yolk Tellurite emulsion Supplement for coagulase positive staphylococci isolation in food.	ISO 6888-1	4x50 mL	80122
Barnes Agar Base Selective basal medium for fecal streptococci isolation and identification.		500 g 100 g 5x10 mL	610156 620156 80300
BAT Agar Medium for detection of <i>Alicyclobacillus spp.</i> in fruit juices and other beverages.		500 g	610361
Beer Universal Agar Medium for isolation of microorganisms contaminating beer.		500 g 100 g	610126 620126
Biggy (Nickerson) Agar Selective medium for <i>Candida spp.</i> isolation and presumptive identification.		500 g 100 g	610135 620135
Bile Aesculin Agar Medium for group D streptococci isolation.		500 g 100 g	610210 620210
Bile Aesculin Broth Selective medium for group D streptococci isolation.	ISO 7899-2	500 g 100 g	610151 620151
Bile Aesculin Azide Agar Selective medium for group D streptococci isolation.	ISO 7899-2	500 g 100 g	610001 620001
Biotone Agar Medium for fastidious microorganisms cultivation.	APHA	500 g 100 g	610157 620157
Bismuth Sulfite Agar Selective medium for isolation and differentiation of <i>Salmonella typhi</i> and other salmonellae from clinical specimens and other materials.	U.S.P.	500 g	610301
Bismuth Sulphite Agar Selective medium for detection of <i>Salmonella spp.</i> in food and other materials.	ISO 6579-1	500 g	610387
Blood Agar Base Basal medium for fastidious microorganisms isolation and for haemolysis test. Sheep Blood Defibrinated		500 g 100 g 50 mL	610005 620005 83296
Blood Agar Base No.2 Basal medium for fastidious microorganisms isolation and for haemolysis test. Sheep Blood Defibrinated		500 g 100 g 50 mL	610188 620188 83296
Bolton Broth Basal Broth for enrichment of <i>Campylobacter spp.</i> <i>Campylobacter C.T.V.A.</i> supplement (Cefoperazone, Trimethoprim, Vancomycin, Amphotericin B) Selective supplement for enrichment of <i>Campylobacter spp.</i>	ISO 10272-1 ISO 10272-1	500 g 100 g 10 vials	610216 620216 81077
Bordet Gengou Agar Base Basal medium for selective isolation of <i>Bordetella spp.</i>		500 g	610006
Bordetella supplement (Cephalexin) Sheep Blood Defibrinated		10 vials 50 mL	81013 83296
Brain Heart Infusion Agar Medium for cultivation of fastidious aerobic and anaerobic bacteria.		500 g 100 g	610007 620007
Brain Heart Infusion Broth Medium for cultivation of fastidious aerobic and anaerobic bacteria.		500 g 100 g 5 kg	610008 620008 6100085
Brilliant Green Agar Selective medium for <i>Salmonella spp.</i> isolation other than <i>S. typhi</i> .	U.S.P.	500 g 100 g	610009 620009
Brilliant Green Agar w/ Sulfadiazine Selective medium for the isolation of <i>Salmonella spp.</i>		500 g	610373
Brilliant Green Bile Broth 2% Selective medium for detection and confirmation of coliforms.	ISO 4831 ISO 4832	500 g 100 g 5 kg	610010 620010 6100105
Bromocresol Purple Azide Broth Broth for the confirmation of the enterococci presence, particularly in the bacteriological analysis of water. Glycerol supplement (Glycerol)		500 g 4x50 mL	610321 80021
Brucella Agar Base Basal medium for selective isolation of <i>Brucella spp.</i> and other bacteria. <i>Brucella</i> supplement (Polymyxin B, Bacitracin, Cyclohexinide, Nalidixic Acid, Nystatin, Vancomycin)	APHA	500 g 100 g 10 vials	610079 620079 81003

Dehydrated Culture Media

Description	Packaging	Ref.	
Brucella Broth Medium for the cultivation of <i>Brucella spp.</i> and other fastidious microorganisms.	500 g	610356	
Bryant and Burkley Medium Medium for the selective enrichment of lactate-fermenting clostridia (<i>C. tyrobutyricum</i>) which are responsible for "late blowing" in brine-salted semi-hard and hard cheeses and other dairy products.	500 g	610142	
Buffered Peptone Water Medium for <i>Salmonella</i> pre-enrichment in food.	ISO 6579 ISO 6785	500 g 100 g 5 Kg	611014 621014 6110145
Buffered Sodium Chloride Peptone Solution acc. to E.P. Medium for the microbial examination of non-sterile pharmaceutical products, e.g. solution for sample preparation or dilution or washing solution.	ISO 21149 E.P.	500 g	610335
Campylobacter Agar Basal medium for selective isolation of <i>Campylobacter spp.</i>	AOAC	500 g 100 g	611007 621007
Sheep Blood Defibrinated		50 mL	83296
Lysed horse blood		100 mL	83397
Campylobacter growth supplement (Sodium pyruvate, Sodium metabisulphite, Ferrous sulphate)		10 vials	81050
Campylobacter Blaser Wang supplement (Polymyxin B, Trimethoprim, Amphotericin B, Cefalotin, Vancomycin)		10 vials	81051
Campylobacter Preston supplement (Polymyxin B, Trimethoprim, Cycloheximide, Rifampicin)		10 vials	81004
Campylobacter Skirrow supplement (Polymyxin B, Trimethoprim, Vancomycin)		10 vials	81055
Campylobacter Blood Free Medium Base Basal medium for selective isolation of <i>Campylobacter jejuni</i> , <i>coli</i> , <i>landis</i> from clinical samples.	ISO 10272-1	500 g 100 g	610130 620130
Campylobacter C.C.D.A. supplement (Cefoperazone, Amphotericin B).	ISO 10272-1	10 vials	81037
Campylobacter Enrichment Broth Base Basal Broth for selective enrichment of <i>Campylobacter spp.</i>		500 g	610131
Campylobacter C.T.V.N. supplement (Cefoperazone, Trimethoprim, Vancomycin, Nystatin)		10 vials	81038
Campylobacter Karmali Agar Base Basal medium for selective isolation of <i>Campylobacter spp.</i>	AOAC	500 g 100 g	610200 620200
Campylobacter Karmali supplement (Sodium pyruvate, Cefoperazone, Vancomycin, Cycloheximide)		10 vials	81036
Cary Blair Transport Medium Semi-solid medium for transport of clinical specimens and microorganisms.		500 g 100 g	611402 621402
Casein Peptone Lecithin Polysorbate Broth Base Broth for diluting samples of pharmaceutical, cosmetic and other raw materials or final products when determining microbial counts.	U.S.P.	500 g	610302
Tween 20 supplement		2x50 mL	80032
Cetrimide Agar Selective basal medium for <i>Pseudomonas aeruginosa</i> isolation.	E.P.	500 g 100 g 5 kg	610041 620041 6100415
Glycerol supplement		4x50 mL	80021
China-Blue Lactose Agar Non-selective medium for enumeration and differentiation of bacteria in dairy products.		500 g	610362 #
ChromaticTM EC X-GLUC Agar Chromogenic medium for detection and enumeration of <i>E. coli</i> in water and foodstuffs.		500 g 100 g	610602 620602
CLED Agar Differential medium for total bacterial count of urine.		500 g 100 g 5 kg	610012 620012 6100125
CLED Andrade Agar Medium for total bacterial count of urine.		500 g 100 g	610112 620112
Clostridium Broth Semisolid medium for clostridia and other anaerobes cultivation in food and clinical samples.	ISO 6461-1 E.P.	500 g 100 g	610056 620056
Clostridium difficile Agar Base Basal medium for selective isolation of <i>Clostridium difficile</i> .		500 g 100 g	610115 620115
Sheep Blood Defibrinated		50 mL	83296
Clostridium difficile supplement (D-Cycloheximide, Cefoxitin)		10 vials	81007
Clostridium Perfringens Agar Base Basal medium for selective isolation of <i>Clostridium perfringens</i> .	ISO 7937 ISO 14189	500 g 100 g	610207 620207
Egg Yolk emulsion	ISO 7932	4x50 mL	80219
Enrichment supplement for lecithinase producing bacteria (<i>Staphylococcus</i> , <i>Bacillus</i> and <i>Clostridium</i>) isolation.			
Clostridium perfringens (T.S.C.) supplement (D-Cycloserine).	ISO 7937	10 vials	81011
Kanamycin / Polymyxin B supplement		10 vials	81031

Dehydrated Culture Media

Description		Packaging	Ref.
Columbia Agar Base		500 g 100 g 5 kg	610013 620013 6100135
Basal medium for fastidious microorganisms isolation.			
Sheep Blood Defibrinated		50 mL	83296
CNA (Staf/Strep) supplement (Colistin, Nalidixic acid)		10 vials	81048
<i>Gardnerella vaginalis</i> supplement (Gentamicin, Nalidixic acid, Amphotericin B)		10 vials	81040
Columbia CNA Agar Base		500 g	610113
Selective medium for isolation of streptococci and staphylococci.			
Sheep Blood Defibrinated		50 mL	83296
Cooked Meat Medium		500 g	610372
Medium for cultivating anaerobic bacteria.			
Corn Meal Agar		500 g 100 g	610123 620123
Medium for the cultivation of fungi and chlamydospore production.			
C.P.L.M. Selective with CAF		500 g	610159
Selective medium for <i>Trichomonas vaginalis</i> isolation and cultivation.			
Horse Serum		100 mL	83810
Cronobacter Selective Broth	ISO 22964	500 g	610389
Liquid medium for the selective enrichment of <i>Cronobacter spp</i> (formerly Enterobacter sakazakii).			
Vancomycin (5 mg) Supplement		10 vials	81064
Cystine Heart Agar		500 g	610506
Medium for cultivating <i>Francisella tularensis</i> and gram-negative cocci.			
Czapek Dox Agar	ISO 6461-1	500 g 100 g	610095 620095
Medium for cultivation of fungi and bacteria capable of using sodium nitrate as the sole nitrogen source.			
Czapek Dox Broth		500 g 100 g	610072 620072
Liquid medium or cultivation of fungi and bacteria capable of using sodium nitrate as the sole nitrogen source.			
DNase Test Agar		500 g 100 g	610205 620205
Medium for detection of deoxyribonucleic activity (DNase) of microorganisms.			
Demi Fraser Broth	ISO 11290-1	500 g 100 g 5 kg	610091 620091 6100915
Basal Broth for Listeria enrichment.			
Listeria Fraser supplement (Ferric ammonium citrate)		10 vials	81028
Listeria Fraser supplement (liquid)		10x5 mL	80304
Dermatophyte (D.T.M.) Agar		500 g 100 g	610160 620160
Selective medium for selective isolation of dermatophytic fungi.			
Dermatophyte supplement (Chlortetracycline)		10 vials	81025
Desoxycholate Agar	APHA	500 g 100 g 5 kg	610014 620014 6100145
Selective medium for enterobacteria isolation.			
Desoxycholate Citrate Agar		500 g 100 g	610015 620015
Selective medium for pathogenic enterobacteria isolation.			
Dextrose Agar		500 g	610002
Medium for cultivation and maintaining of microorganisms.			
Dextrose Broth		500 g 100 g	610161 620161
Broth for cultivation and maintaining of microorganisms.			
Dextrose Tryptone Agar		500 g	610198
Medium for the enumeration of spores of mesophilic and thermophilic <i>Bacillus</i> in sugar, sweet desserts, aromatic preparation and other foodstuffs.			
Dextrose Tryptone Broth		500 g	610376
Broth for the enumeration of spores of mesophilic and thermophilic <i>bacillus</i> in sugar, sweet desserts, aromatic preparation and other foodstuffs.			
Dichloran-Glycerol (DG18) Agar Base		500 g	610238
Medium for counting yeasts and moulds in foodstuffs.			
Dichloran Rose-Bengal Chloramphenicol Agar		500 g	610237
Selective medium for counting yeasts and moulds.			
Drigalski Lactose Agar		500 g 100 g	610016 620016
Selective medium for pathogenic enterobacteria isolation.			
D/E Neutralizing Broth		500 g	610088
Broth for the neutralization and testing of antiseptics and disinfectants according to the procedure of Engley and Dey.			
Tween 80 supplement		2x50 mL	80031
E.C. Broth	ISO 7251	500 g 100 g	610063 620063
Selective Broth for fecal coliforms detection and for <i>E. coli</i> confirmation.			
E.C. Broth MUG		500 g	610332
Selective broth for fecal coliforms and <i>E. coli</i> detection in water.			
E.E. Broth	E.P.	500 g 100 g	610017 620017
Broth for enterobacteria selective enrichment.			

Dehydrated Culture Media

Description	Packaging	Ref.
E.M.B. Levine Agar Selective medium for gram-negative enteric bacteria isolation.	U.S.P. 500 g 100 g	610019 620019
Endo Agar Medium for coliforms detection, enumeration and confirmation.	APHA 500 g 100 g	610020 620020
Enterobacter (Cronobacter) sakazakii Isolation Agar Selective medium for <i>Cronobacter sakazakii</i> isolation.	ISO 22964 500 g	610623
Eugon LT 100 Agar Medium for count and isolation of mesophilic bacteria in cosmetics.	ISO 21149 500 g	610327
Lecithin Supplement	4x50 mL	80007
Eugon Broth General purpose medium for cultivating a wide variety of microorganisms from clinical and non-clinical specimens.	500 g	610341
Eugon LT 100 Supplement Lecithin Supplement	4x40 mL 4x50 mL	80048 80007
Eugon LT 100 Broth Broth for count and isolation of mesophilic bacteria in cosmetics.	500 g	610395
E.V.A. Broth (Ethyl Violet Azide) Selective broth for enterococci detection in water and other samples.	APHA 500 g 100 g	611365 621365
Fermentation Broth Base Liquid medium for the carbohydrate utilization test.	ISO 11290 500 g	610030 #
Fluid Thioglycollate Medium Medium for aerobic and anaerobic bacteria for sterility tests.	ISO 7937 E.P. U.S.P. 500 g 100 g 5 kg	610050 620050 6100505
Fraser Broth Base Enrichment medium for detection and enumeration of <i>Listeria monocytogenes</i> and <i>Listeria</i> spp.	ISO 11290 500 g	610375
Half Fraser Supplement	10 vials	81043
Fraser Supplement	10 vials	81046
Gassner Agar Selective agar for the detection and isolation of pathogenic Enterobacteriaceae in food and other material according to Gassner.	500 g	610366 #
G.C. Medium Basal medium for <i>Haemophilus</i> spp. and <i>Neisseria</i> spp. isolation.	500 g 100 g	610022 620022
Horse Blood Defibrinated	100 mL	83396
VITALEX growth supplement	10 vials	81023
L.C.A.T. supplement (Lincomycin, Colistin, Amphotericin B, Trimethoprim)	10 vials	81012
V.C.A.T. supplement (Vancomycin, Colistin, Amphotericin B, Trimethoprim)	10 vials	81041
V.C.N. supplement (Vancomycin, Colistin, Nystatin)	10 vials	81022
V.C.N.T. supplement (Vancomycin, Colistin, Nystatin, Trimethoprim)	10 vials	81024
HAEMOPHILUS supplement (Bacitracin, Vancomycin, Clindamycin)	10 vials	81014
Gelatin Peptone Agar (Agar gelisato) Medium for total bacterial count of aerobes in ice creams.	AOAC 500 g 5 kg	610054 6100545
Giolitti Cantoni Broth Base Basal broth for <i>Staphylococcus aureus</i> enrichment.	ISO 6888-3 500 g 100 g	610100 620100
Potassium Tellurite 3.5% supplement	5x10 mL	80291
Glucose OF Medium ISO 21528 Semisolid medium for confirmation of Enterobacteriaceae.	ISO 21528 500 g	610388
Glucose Salt Teepol Broth Medium for selective enrichment and enumeration (MPN method) of <i>Vibrio parahemolyticus</i> from foodstuffs.	500 g 100 g	610359 610359
G.N. Hajna Broth Broth for gram-negatives enrichment.	500 g	610163
Heart Infusion Broth Broth for fastidious bacteria cultivation.	AOAC 500 g 100 g 5 kg	611021 621021 6110215
Hektoen Enteric Agar Selective medium for pathogenic enterobacteria isolation.	ISO 21567 500 g 100 g 5 kg	610021 620021 6100215
Herellea Agar Selective medium for isolation from urethral and vaginal specimens.	500 g 100 g 5 kg	610164 620164 6101645
HHD Broth Medium for differentiation of heterofermentative and homofermentative lactic bacteria.	500 g 100 g	610064 # 620064 #
Iron Sulfite Agar Medium for thermophilic anaerobes determination.	500 g 100 g	611401 621401
Isosensitest Agar Medium for susceptibility test.	500 g 100 g	611265 621265
Kanamycin Aesculin Azide Agar Selective medium for isolation of group D streptococci in food.	APHA 500 g 100 g	610190 620190

Dehydrated Culture Media

Description		Packaging	Ref.
Kligler Iron Agar Differential medium for enterobacteria identification.	ISO 10273	500 g 100 g	610023 620023
Lactose Broth Broth for coliforms detection.	ISO 9308-2	500 g 100 g	611202 621202
Lactose Gelatin Medium Dehydrated medium for the identification of <i>C. perfringens</i> by lactose and gelatin test.	ISO 7937	500 g	610360
Lactose Sulfite Broth Selective medium for the detection and enumeration of spores of <i>Clostridium perfringens</i> in food products.	ISO 7937	500 g	610358
Lauryl Pepto Broth Broth for selective enrichment of coliforms in water and dairy products.	ISO 7251	500 g 100 g	610189 620189
Lauryl Sulfate Tryptose Broth Modified (m-LST) Selective medium for the enrichment of <i>Cronobacter sakazakii</i> .	ISO 22964	500 g	610247
Lauryl Tryptose Broth Broth for selective enrichment of coliforms in water and dairy products.	ISO 7251	500 g 100 g	610085 620085
Koser Citrate Medium Medium for enterobacteria differentiation on the basis of their capability of utilizing citrate as the sole carbon source.	AOAC	500 g 100 g	610165 620165
LB Agar Medium for cultivation of recombinant <i>Escherichia coli</i> .		500 g	610245
LB Medium (Luria Bertani) Medium for cultivation of recombinant <i>Escherichia coli</i> .		500 g 100 g	610084 620084
Legionella CYE Agar Base (w/o ACES and α-Chetoglutaric Acid) Basal medium for <i>Legionella</i> spp. isolation.	ISO 11731	500 g 100 g	610125 620125
Legionella (BCYE) growth supplement (AcEs, L-cysteine, Ferric pyrophosphate, α-ketoglutanate).	ISO 11731	10 vials	81056
Legionella (BCYE) growth supplement w/o L-Cysteine		10 vials	81091
Legionella (BMPA) supplement (Cefamandole, Polymyxin B, Anisomycin)		10 vials	81002
Legionella (GVPC) supplement (Glycine, Vancomycin, Polymyxin B, Cycloheximide).	ISO 11731	10 vials	81008
Legionella (MWY) supplement (Anisomycin, Polymyxin B, Vancomycin, Glycine, Bromothynol Blue, Bromocrystal Purple).		10 vials	81019
Lethene Agar Base Basal medium for coefficient phenol detection of quaternary ammonium disinfectants.		500 g 100 g	610076 620076
Lethene supplement (Lecithin)		4x50 mL	80008
Tween 80 supplement		2x50 mL	80031
Lethene Broth Base Basal medium for coefficient phenol detection of quaternary ammonium disinfectants.	AOAC	500 g 100 g	610208 620208
Lethene supplement (Lecithin)		4x50 mL	80008
Tween 80 supplement		2x50 mL	80031
Lethene Broth Modified Medium for the evaluation of bactericidal activity of quaternary ammonium base.	ISO 21149	500 g	610328
Tween 80 supplement		2x50 mL	80031
Listeria Enrichment Broth Base (Lovett) Broth for enrichment of <i>Listeria</i> spp. according to Lovett formulation.	APHA	500 g	610326
Listeria Supplement for Enrichment (FDA/IDF) Selective supplement for <i>Listeria</i> isolation.		10 vials	81045
Listeria Fraser Broth Basal medium for <i>Listeria monocytogenes</i> selective enrichment.	ISO 11290-1	500 g 100 g	610166 620166
Listeria Fraser supplement (Ferric ammonium citrate)		10 vials	81028
Listeria Fraser supplement (liquid)		10x5 mL	80304
Listeria Oxford Agar Base Basal medium for selective isolation and differentiation of <i>L. monocytogenes</i> .	ISO 11290-1	500 g 100 g	610167 620167
Listeria Oxford supplement (Cefotetan, Fosfomycin)		10 vials	81027
Listeria Oxford Agar Base ISO 11290 Basal medium w/o antibiotics and acriflavine for the isolation of <i>L. monocytogenes</i> .	ISO 11290-1	500 g	610231
Listeria Oxford with CEF/FOS/COL/CYC/ACR supplement (Cefotetan, Fosfomycin, Colistin, Cycloheximide, Acriflavine)		10 vials	81629
Listeria Palcam Agar Base Basal medium for selective isolation and differentiation of <i>L. monocytogenes</i> .	ISO 11290-1	500 g 100 g	610168 620168
Listeria Palcam supplement (Polymyxin B, Ceftazidime, Acriflavina HCl)		10 vials	81026
Listeria U.V.M. 1 Broth Broth for <i>Listeria monocytogenes</i> selective enrichment.	USDA-FSIS	500 g 100 g	610031 620031
Listeria U.V.M. 2 Broth Broth for <i>Listeria monocytogenes</i> selective enrichment.	USDA-FSIS	500 g 100 g	610045 620045
Litmus Milk Medium for the maintenance of lactic acid bacteria and for the determination of bacterial action on milk.		500 g	610318

Dehydrated Culture Media

Description	Packaging	Ref.
Lowenstein Jensen Medium Selective medium for mycobacteria isolation.	500 g 100 g 4x50 mL	610026 620026 80021
Glycerol supplement (Glycerol)		
Lysine Decarboxylase Broth Broth for the detection of the production of Lysine decarboxylase by <i>Enterobacteriaceae</i> .	APHA	500 g
		610303
Lysine Iron Agar Differential medium for enterobacteria isolation.	500 g 100 g	610027 620027
M17 Agar Medium for lactic streptococci cultivation.	500 g 100 g	610192 620192
M.R.S. Agar Basal medium for <i>Lactobacillus</i> isolation.	ISO 15214	500 g 100 g
Tween 80 supplement		2x50 mL
M.R.S. Broth Basal medium for <i>Lactobacillus</i> enrichment and isolation.	ISO 15214	500 g 100 g
Tween 80 supplement		2x50 mL
M.S.R.V. (Modified Semisolid Rappaport Vassiliadis) Medium Base Semisolid basal medium for selective isolation of motile <i>Salmonella</i> spp.	ISO 6579	500 g 100 g 10 vials
Novobiocin supplement		81021
MacConkey Agar Selective and differential medium for coliforms and intestinal pathogens isolation.	E.P.	500 g 100 g 5 kg 10 vials
MUG supplement		81020
MacConkey Agar w/o Crystal Violet Differential moderately selective medium for enterobacteria isolation.		500 g 100 g
MacConkey Agar w/o Bile Salt Selective and differential medium for coliforms isolation with <i>Proteus</i> spp. swarming inhibition.		500 g
MacConkey Broth Selective and differential broth for the detection of coliforms in water, milk and other materials of sanitary importance.	E.P.	500 g
MacConkey Broth (Purple) Selective and differential broth for coliforms isolation (with BCP).		500 g 100 g
MacConkey Broth Modified (w/o NaCl) Selective and differential broth for coliforms isolation (with BCP).		500 g 100 g
MacConkey MUG Agar Selective and differential medium for <i>Escherichia coli</i> isolation.		500 g 100 g 5 kg
MacConkey Sorbitol Agar Selective and differential medium for <i>E. coli</i> O157 isolation.		500 g 100 g
Cefixime Tellurite Supplement		10 vials
Malonate Broth Broth for enterobacteria differentiation.		500 g 100 g
Malt Agar Medium for yeasts and moulds isolation and enumeration.	AOAC	500 g 100 g
Malt Extract Agar Medium for yeasts and moulds isolation and enumeration.		500 g 100 g
Malt Extract Broth Broth for yeasts and moulds culture.	AOAC	500 g 100 g
Malt Yeast CAF Agar Selective medium for cultivating yeasts and moulds.		500 g
Maltose		610246 #
Mannitol Motility Test Medium Medium for differentiation of Enterobacteriaceae.		500 g 100 g
Mannitol Salt Agar Selective medium for pathogenic staphylococci isolation.	EP, USP, JP	500 g 100 g 5 kg
Maximum Recovery Diluent Isotonic diluent for microorganisms optimal recovery.	ISO 6887-1	500 g 100 g
m-CP Agar Base Basal medium for selective isolation of <i>C. perfringens</i> in waters.	98/83/EC	500 g 100 g
m-CP supplement		10 vials
m-CP Supp.A Phenolphthalein diphosphate		81034
m-CP Supp.B Ferric chloride		81070
m-CP Supp.C Indoxyl B-D-Glucoside		81071
m-ENDO Agar LES Medium for coliforms enumeration in water by membrane filtration.	APHA	500 g 100 g
m-ENDO Broth Broth for coliforms counting in water by membrane filtration.	APHA	500 g
		610220

Dehydrated Culture Media

Description		Packaging	Ref.
m-FC Agar Base Selective basal medium for fecal coliforms isolation and enumeration by membrane filtration method.	APHA	500 g 100 g 5 kg 10 vials	611012 621012 6110125 81029
Rosolic acid supplement			
m-FC Broth Base Selective basal Broth for fecal coliforms isolation and enumeration by membrane filtration method.	APHA	500 g 100 g	610162 620162
Rosolic acid supplement		10 vials	81029
Microbial Content Test Agar Base Basal medium for bacterial count determination with inactivation of disinfectants.		500 g	610094
Lecithin supplement		4x50 mL	80007
Tween 80 supplement		2x50 mL	80031
Middlebrook 7 H 10 Agar Base Basal medium for mycobacteria cultivation.		500 g	611022
Middlebrook 7 H 10 supplement (Oleic acid, Glucose, NaCl)		4x50 mL	81035
Glycerol supplement (Glycerol)		4x50 mL	80021
Milk Plate Count Agar Medium for bacterial count in milk and dairy products.		500 g 100 g	610073 620073
Motility Indole Urea Agar Medium for Enterobacteriaceae identification.		500 g	610236
Motility Nitrate CP Medium Selective medium for motile nitrate-utilizing microorganisms (<i>P. aeruginosa</i> , <i>C. perfringens</i>).		500 g	610371
Motility Test Agar Medium for the detection of motility of gram-negative enteric bacilli.		500 g 100 g	610132 620132
MRS Broth w/o Glucose Liquid medium for cultivating lactobacilli from clinical and nonclinical specimens.		500 g 100 g 2x50 mL	610144 620144 80031
Tween 80 supplement			
MRS-IM + Maltose Agar Medium for counting probiotic bacteria.		500 g 100 g	610067 620067
Tween 80 supplement		2x50 mL	80031
MRS-IM + Glucose Agar Medium for counting probiotic bacteria.		500 g 100 g 2x50 mL 10 vials	610068 620068 80031 81094
Tween 80 supplement			
MR-VP Broth Broth for carrying out Methyl Red (MR) and Voges-Proskauer (VP) tests.	ISO 6785 ISO 6579	500 g 100 g	610032 620032
Mueller Hinton Agar II Medium for susceptibility test (Kirby Bauer method), low concentration of thymine-thymidine with Ca ⁺⁺ and Mg ⁺⁺ .	CLSI	500 g 100 g 5 kg	610627 620627 6106275
Mueller Hinton Broth II Broth for susceptibility test by dilution method, low concentration of thymine-thymidine with Ca ⁺⁺ and Mg ⁺⁺ .	CLSI	500 g 100 g	610218 620218
Muller Kauffmann Broth Base Basal broth for <i>Salmonella</i> spp. selective enrichment.	ISO 6785	500 g 100 g	610035 620035
Muller Kauffmann supplement (Iodine, Potassium iodide, Brilliant green)		2x50 mL Iodine 50 mL B.G. 0.1%	80047
Muller Kauffmann Tetrathionate Broth Base Basal medium for <i>Salmonella</i> spp. selective enrichment from water, foodstuffs and fecal samples.	ISO 6579	500 g 100 g	610239 620239
Iodine MKTT Solution		10 tubes x 10 mL	80009
Novobiocin MKTT Supplement		10 vials	81073
Nitrate Broth Broth for the identification of aerobic and facultative anaerobic gram-negative microorganisms by means of the nitrate reduction test.		500 g	610322
Nutrient Agar Medium for non fastidious bacteria growth.	ISO 16266	500 g 100 g 5 kg	610036 620036 6100365
Nutrient Agar Modified Medium for the cultivation of non-fastidious bacteria from clinical and non clinical specimens.		500 g	610385
Nutrient Broth Broth for non fastidious bacteria growth.	APHA	500 g 100 g 5 kg	610037 620037 6100375
Nutrient Broth no.2 Broth for non fastidious bacteria growth. Base Broth for the enrichment of <i>Campylobacter</i> spp.	ISO 17995	500 g	610217

Dehydrated Culture Media

Description	Packaging	Ref.
Campylobacter Preston supplement (Polymyxin B, Trimethoprim, Cyclohexinide, Rifampicin)	10 vials	81004
Campylobacter growth supplement (Sodium pyruvate, Sodium metabisulphite, Ferrous sulphate)	10 vials	81050
Lysed Horse Blood	100 mL	83397
Nutrient Broth no.2 ISO 10272-1 For the cultivation and enrichment of less fastidious bacteria for the establishment of permanent cultures, as well as a base in the preparation of special media, according to ISO 10272-1	ISO 10272-1	500 g
O.F. Basal Medium Medium for the detection of oxidative and fermentative carbohydrate degradation, particularly for the differentiation of gram-negative intestinal bacteria.		500 g
O.G.Y.E. Agar Base Basal medium for selective enumeration of yeasts and moulds.	ISO 21527-1 ISO 21527-2	500 g 100 g 5 kg
O.G.Y.E. supplement (Oxytetracycline)		10 vials
Orange Serum Agar Medium for isolation and count of bacteria and yeasts in citrus fruit and by-products.	APHA	500 g 100 g 5 kg
Orange Serum Broth Broth for cultivation and enumeration of microorganisms associated with spoilage of citrus products.		500 g
Ornithine Decarboxylase Broth Broth for the detection of the production of ornithine decarboxylase by <i>Enterobacteriaceae</i> .		500 g
P.P.L.O. Broth Broth for mycoplasma cultivation.	APHA	500 g 100 g
Peptone Water Medium for indole production detection.	ISO 7251	500 g 100 g
Pfizer Selective Enterococcus Agar Medium for selective isolation, cultivation and enumeration of <i>Enterococcus spp.</i>		500 g
Phenol Red Agar Base Base medium used with the addition of carbohydrates for differentiating pure culture of bacteria based on sugar fermentation reactions.		500 g
Phenol Red Broth Base Broth for carbohydrates fermentation studies.		500 g 100 g
Phenylalanine Agar Medium for enterobacteria differentiation.		500 g 100 g 2x25 mL
Ferric chloride 10%		80272
Phenylalanine Malonate Broth Broth for enterobacteria differentiation.		500 g 100 g 2x25 mL
Ferric chloride 10%		80272
Plate Count Agar Medium for total bacterial count detection in foodstuffs and water.	ISO 4833	500 g 100 g 5 kg
Potato Dextrose Agar Medium for yeasts and moulds enumeration in food and dairy products.	E.P.	500 g 100 g 5 kg
Potato Dextrose Broth Broth for yeasts and moulds enumeration in food and dairy products.	APHA	500 g 100 g 5 kg
Potato Infusion Agar Medium for <i>Brucella spp.</i> isolation.		500 g 100 g
Proteose Peptone Special peptone obtained by enzymatic hydrolysis of animal tissue.		500 g
Pseudomonas Agar Base Basal medium for selective isolation of <i>Pseudomonas spp.</i>	ISO 12780	500 g 100 g
Glycerol supplement (Glycerol)		4x50 mL
C.F.C. (Pseudomonas) supplement (Cetrimide, Fucidin, Cephalordine)		10 vials
C.N. (Pseudomonas) supplement (Cetrimide, Nalidix acid)	ISO 12780	10 vials
Pseudomonas PP Supplement		10 vials
Pseudomonas Agar F Medium for the enhancement of fluorescin production by <i>Pseudomonas spp.</i>	ISO 12780	500 g
Glycerol supplement		4x50 mL
Pseudomonas Agar P Medium for the enhancement of pyocyanin production by <i>Pseudomonas spp.</i>	U.S.P.	500 g
Purple Glucose Agar Medium for enterobacteria isolation and differentiation.	ISO 21528-2	500 g 100 g

Dehydrated Culture Media

Description		Packaging	Ref.
Purple Lactose Agar Medium for coliforms isolation and differentiation.		500 g 100 g	610044 620044
R2 Agar Medium for heterotrophic microorganisms count in the examination of potable water.	E.P.	500 g 100 g	610129 620129
Rappaport Vassiliadis Broth Selective enrichment Broth for Salmonella isolation.	ISO 6785 ISO 6579	500 g 100 g	610175 620175
Reinforced Clostridial Agar Medium for isolation and enumeration of anaerobes, specially <i>Clostridium spp.</i>	ISO 6461-1	500 g 100 g	610096 620096
Rogosa Agar Selective basal medium for lactobacilli isolation and enumeration. Tween 80 supplement		500 g 100 g 2x50 mL	610176 620176 80031
Rogosa Broth Selective basal broth for lactobacilli culture. Tween 80 supplement		500 g 100 g 2x50 mL	610177 620177 80031
Rose Bengal Agar Base Basal Broth for selective isolation and enumeration of yeasts and moulds. Chloramphenicol supplement	APHA	500 g 100 g 5 kg 10 vials	610178 620178 6101785 81017
Rose Bengal CAF Agar Selective medium for yeasts and moulds isolation and enumeration.	APHA	500 g 100 g	610090 620090
Sabouraud Dextrose Agar Medium for yeasts and moulds isolation. Chloramphenicol supplement Gentamicin supplement	harmonized EP	500 g 100 g 5 kg 10 vials 10 vials	610103 620103 6101035 81017 81033
Sabouraud Dextrose Broth Broth for yeasts, moulds and acidophilic bacteria cultivation.	harmonized EP	500 g 100 g	610104 620104
Sabouraud CAF Agar Selective medium for yeasts and moulds isolation.	APHA	500 g 100 g	610203 620203
Sabouraud CAF (50 mg) Agar Selective medium for the isolation, identification and cultivation of pathogenic and nonpathogenic fungi.		500 g	610625
Sabouraud CAF Agar + Actidione Selective medium for dermatophyte isolation.		500 g 100 g	610179 620179
Sabouraud Maltose Agar Acid medium for the isolation of dermatophytes, other fungi and yeasts.	U.S.P.	500 g 100 g	610146 620146
Schaedler Agar Base Basal medium for anaerobic bacteria isolation. Sheep Blood Defibrinated Vitamin K 1% supplement Schaedler supplement (Kanamycin, Vancomycin)		500 g 100 g 50 mL 5x5 mL 10 vials	610043 620043 83296 80053 81054
Schaedler Broth Broth for anaerobic bacteria cultivation.		500 g 100 g	610137 620137
Schwarz Differential Medium Medium used in the brewing industry for the differentiation of brewing yeasts from wild yeasts.		500 g	610127
Selenite Broth Broth for selective enrichment of <i>Salmonella spp.</i>	APHA	500 g 100 g 5 kg	610145 620145 6101455
Selenite Cystine Broth Medium for selective enrichment of <i>Salmonella spp.</i>	ISO 6785	500 g 100 g	610150 620150
S.F. Broth Broth medium for fecal streptococci isolation.	AOAC	500 g 100 g	610180 620180
Sierra Lipolytic Agar Medium for lipolytic bacteria isolation.		500 g 100 g	611015 621015
SIM Medium Differential medium for indole, motility and H ₂ S tests.		500 g 100 g	610181 620181
Simmons Citrate Agar Differential medium for enterobacteria identification based on the utilization of citrate as the sole source of carbon.	ISO 10273	500 g 100 g	610046 620046
Slanetz-Bartley Agar Base Selective basal medium for fecal streptococci isolation and enumeration. TTC 1% supplement	ISO 7899-2	500 g 100 g 5x10 mL	610134 620134 80300
Slanetz-Bartley Agar + TTC Selective medium for fecal streptococci isolation and enumeration.	ISO 7899-2	500 g 100 g 5 kg	610147 620147 6101475
SPS Agar Selective medium for <i>Clostridium perfringens</i> and sulphite-reducing bacteria isolation and enumeration.	APHA	500 g 100 g	610148 620148

Dehydrated Culture Media

Description	Packaging	Ref.
S.S. Agar Modified Selective medium for <i>Salmonella</i> and <i>Shigella</i> isolation.	500 g 100 g 5 kg	610042 620042 6100425
Staphylococcus 110 Agar Selective medium for staphylococci isolation.	500 g	611366
Stuart Transport Medium Semisolid medium for transport of clinical specimens and microorganisms.	500 g 100 g	610182 620182
TBX Agar Selective chromogenic medium for <i>E. coli</i> detection in food.	ISO 16649-2 500 g 100 g	610224 620224
T.C.B.S. Agar Selective medium for <i>Vibrio</i> spp. isolation.	ISO 9308-1 500 g 100 g	611010 621010
Tergitol Agar Base Basal medium for coliforms enumeration and identification.	ISO 9308-1 500 g 100 g	610184 620184
TTC 1% supplement	5x10 mL	80300
T.S.I. Agar Differential medium for enterobacteria identification.	U.S.P. 500 g 100 g	610055 620055
Tetrathionate Broth Base Basal broth for <i>Salmonella</i> spp. enrichment	APHA U.S.P. 500 g 100 g	610183 620183
Iodine solution (Iodine, Potassium iodide)	5x10 mL	81009
Todd Hewitt Broth Broth for haemolytic streptococci culture prior to serological identification.	500 g 100 g 5 kg	610051 620051 6100515
TOS Propionate Agar Base Basal medium for detection of bifidobacteria in milk products.	ISO 29981 500 g	610378
MUP Selective Supplement	10 vials	81101
Trichomonas Broth Selective base Broth for <i>Trichomonas</i> spp. isolation.	500 g 100 g	610061 620061
Horse Serum	100 mL	83810
Tryptic (CTA) Medium Semisolid medium for motility test and carbohydrates fermentation.	500 g 100 g	610185 620185
Tryptic Soy Agar Medium for the growth of a wide variety of microorganisms.	E.P. 500 g 100 g	610052 620052
Tryptic Soy Broth Broth for the growth of a wide variety of microorganisms.	E.P. 500 g 100 g 5 kg	610053 620053 6100535
TSYE Agar (Tryptic Soy Yeast Extract Agar) General use medium for bacteria cultivation.	ISO 11290 500 g 100 g	610349 620349
Tryptone Glucose Extract Agar Medium for cultivation and count of microorganisms in food and water.	APHA 500 g 100 g	610089 620089
Tryptone Soya Yeast Extract Broth Medium for the confirmation of <i>Listeria monocytogenes</i> .	ISO 11290-1 500 g 100 g	610241 620241
Tryptone Sulfite Neomycin Agar Medium for <i>Clostridium perfringens</i> detection in food.	500 g 100 g	610074 620074
Tryptone Water Liquid medium for <i>Escherichia coli</i> detection in food and water.	500 g 100 g	610206 620206
Tryptophan Broth Broth of subcultivation for coliform differentiation, and for indole testing in the bacteriological examination of water.	ISO 9308-1 ISO 6579 ISO 6785 500 g 100 g 100 g	610197 620197
Tryptose Agar Medium for the growth of a wide variety of microorganisms.	APHA 500 g 100 g	610193 620193
Tryptose Broth Broth for cultivating and maintaining of fastidious microorganisms, including <i>Brucella</i> spp.	500 g 100 g	610233 620233
Tryptose Phosphate Broth Broth for the cultivation of a wide variety of fastidious microorganisms.	500 g 5 kg	610364 # 6103645 #
Urea Agar Base Basal medium for enterobacteria urease test.	ISO 6785 ISO 6579 10x5 mL	610107 620107 80292
Urea Broth Broth for the detection of microorganisms which metabolize urea.	500 g	610311
Violet Red Bile Agar MUG Selective medium for isolation and counting of coliforms and <i>Escherichia coli</i> .	500 g 100 g	610187 620187
Violet Red Bile Glucose Agar Selective medium for enterobacteria isolation and enumeration.	ISO 21528-2 E.P. 500 g 100 g	610059 620059
Violet Red Bile Lactose Agar Selective medium for coliforms isolation and enumeration.	ISO 4832 500 g 100 g 5 kg	610058 620058 6100585

Dehydrated Culture Media

Description		Packaging	Ref.
Vogel Johnson Agar Selective basal medium for <i>Staphylococcus aureus</i> isolation.	U.S.P.	500 g 100 g	610186 620186
Potassium Tellurite 1% supplement		5x10 mL	80022
Potassium Tellurite 3.5% supplement		5x10 mL	80291
V.R.B. Agar w Glucose / Lactose Medium recommended for the detection and enumeration of enterobacteria.	E.P.	500 g	610336
VRE Agar Base Medium for isolating Vancomycin-resistant enterococci.		500 g	610501
Meropenem Supplement		10 vials	81083
Water Detect Coliforms Chromogenic medium for detection of <i>E. coli</i> and other coliforms in water		500 g 100 g	610382 620382
W.L. Nutrient Agar Medium for the enumeration and cultivation of yeasts and bacteria in the microbiological control carried out in the brewing and other fermentation industries.		500 g 100 g	610234 620234
Wort Agar Medium for the cultivation, isolation and enumeration or enrichment of fungi, especially of yeasts.		500 g	610323
Wort Broth w/o NaCl Basal Broth for isolation and enumeration of yeasts and moulds.		500 g	610080
Glycerol supplement (Glycerol)		4x50 mL	80021
Wurtz Lactose Agar Medium for enterobacteria isolation.		500 g 100 g	611210 621210
XLD Agar Differential and selective medium for pathogenic enterobacteria isolation.	ISO 21567 ISO 6579	500 g 100 g 5 kg	610060 620060 6100605
XLT4 Agar Base Basal medium for selective isolation of <i>Salmonella non typhi</i> and <i>paratyphi</i> .		500 g 100 g	610092 620092
XLT (Tergitol 4)		2x50 mL	80010
Yeast Extract Agar Medium for microorganisms enumeration in water.	ISO 6222	500 g 100 g	611016 621016
Yeast Extract Sodium Lactate Medium Medium for the isolation, cultivation and maintenance of <i>Propionibacterium spp.</i>		500 g	610363 #
Yeast Glucose Chloramphenicol Agar Selective medium for yeasts and moulds isolation and enumeration.	ISO 21527-1	500 g 100 g	610070 620070
Yersinia ITC Broth Base Enrichment broth for detecting <i>Yersinia enterocolitica</i> in food and water.	ISO10273	500 g	610369
Yersinia ITC Supplement	ISO10273	10 vials	81092
Yersinia PSB Broth Enrichment broth for detecting <i>Yersinia enterocolitica</i> in food and water.	ISO 10273	500 g	610370
Yersinia Selective Agar Base Basal medium for selective isolation of <i>Yersinia enterocolitica</i> .	ISO 10273	500 g 100 g	610111 620111
Yersinia supplement (Cefsulodin, Irgasan, Novobiocin)	ISO 10273	10 vials	81039

Ingredients for culture media

Description	Packaging	Ref.
Acid Hydrolysate of Casein Product obtained by acid hydrolysis of casein.	500 g	610496
Agar Bacteriological Purified Agar for culture media preparation.	500 g 100 g 5 kg	611001 621001 6110015
Beef Extract Beef extract obtained by enzymatic hydrolysis of animal proteins.	500 g 100 g 5 kg	610497 620497 6104975
Bile Bacteriological Bacteriological bile obtained by bile purification.	500 g 100 g	611367 621367
Bile Salt No. 3 Purified extract obtained of bovine bile.	500 g 5 kg	611901 6119015
Brain Heart Infusion Infusion obtained by enzymatic hydrolysis of brain and heart.	500 g 100 g 5 kg	610495 620495 6104955
Gelatin Bacteriological Purified gelatin for bacteriological use.	500 g 5 kg	611002 6110025
Gelatin Pancreatic Peptone Peptone obtained by pancreatic digest of gelatin.	500 g	611503
Glucose Glucose for bacteriological use.	500 g 100 g 5 kg	611601 621601 6116015
Hemoglobin Autoclavable hemoglobin from beef blood, for preparing microbiological culture media.	500 g	611706
Lactose Lactose for bacteriological use.	500 g 100 g 5 kg	610498 620498 6104985
Liver Extract Dehydrated extract of bovine liver.	500 g 5 kg	612001 6120015
Malt Extract Dehydrated extract obtained from sprouted grain.	500 g 100 g 5 kg	611006 621006 6110065
Peptone Bacteriological Peptone obtained by enzymatic hydrolysis of animal tissues.	500 g 100 g 5 kg	611701 621701 6117015
Peptone Mycological Mixture of peptones for yeast culture.	500 g 5 kg	612101 6121015
Polypeptone Pancreatic digest of casein and peptic digest of animal tissue combined in equal parts.	500 g	610492
Proteose Peptone Special peptone obtained by enzymatic hydrolysis of animal tissues.	500 g 5 kg	612201 6122015
Skim Milk Pasteurized product resulting from the removal of water from nonfat milk (APHA).	500 g	610491
Sodium Chloride Sodium Chloride for bacteriological use.	500 g 100 g	611000 621000
Sodium Desoxycholate Sodium desoxycholate for bacteriological use.	500 g 5 kg	612401 6124015
Sodium Selenite Sodium selenite for bacteriological use.	500 g 5 kg	611003 6110035
Soy Peptone Soy peptone obtained by enzymatic hydrolysis of soy bean meal.	500 g 5 kg	612501 6125015
Sucrose Sucrose for bacteriological use.	500 g 5 kg	611801 6118015
Tryptone Product obtained by pancreatic hydrolysis of casein.	500 g 100 g 5 Kg	611004 621004 6110045
Tryptose Product obtained by enzymatic hydrolysis of casein, yeasts and animal tissues.	500 g 5 Kg	611008 6110085
Yeast Extract Yeast extract obtained by autolysis of <i>Saccharomyces cerevisiae</i> .	500 g 100 g 5 Kg	611005 621005 6110055

Freeze-dried selective and growth supplements

Description	Packaging	Ref.
Ampicillin supplement Selective supplement for <i>Aeromonas hydrophila</i> isolation.	10 vials	81001
Bacillus cereus supplement (Polymyxin B) Selective supplement for <i>Bacillus cereus</i> isolation (ISO 7932).	10 vials	81016
Bordetella supplement (Cephalexin) Selective supplement for <i>Bordetella</i> isolation.	10 vials	81013
Brucella supplement (Polymyxin B, Bacitracin, Cycloheximide, Nalidixic acid, Nystatin, Vancomycin) Selective supplement for <i>Brucella</i> spp. isolation.	10 vials	81003
Campylobacter growth supplement (Sodium pyruvate, Sodium metabisulphite, Ferrous sulphate) Growth supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81050
Campylobacter Blaser Wang supplement (Polymyxin B, Trimethoprim, Amphotericin B, Cephalexin, Vancomycin) Selective supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81051
Campylobacter Butzler supplement (Bacitracin, Cycloheximide, Colistin sulphate, Sodium cephalazolin, Novobiocin) Selective supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81015
Campylobacter C.C.D.A. supplement (Cefoperazone, Amphotericin B) Selective supplement for <i>Campylobacter</i> spp. isolation (ISO 10272-1).	10 vials	81037
Campylobacter C.T.V.N. supplement (Cefoperazone, Trimethoprim, Vancomycin, Cycloheximide) Selective supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81038
Campylobacter Karmali supplement (Sodium pyruvate, Cefoperazone, Cycloheximide, Vancomycin) Selective supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81036
Campylobacter Preston supplement (polymyxin B, Rifampicin, Cycloheximide, Trimethoprim) Selective supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81004
Campylobacter Skirrow supplement (Polymyxin B, Vancomycin, Trimethoprim) Selective supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81055
C.F.C. (Pseudomonas) supplement (Cetramide, Fucidin, Cephalotin) Selective supplement for <i>Pseudomonas</i> isolation.	10 vials	81049
Cefoxitin MRSA Supplement Selective supplement for the detection of Methicillin resistant <i>Staphylococcus aureus</i> .	10 vials	81087
Chloramphenicol supplement Selective supplement for yeasts and moulds isolation.	10 vials	81017
Clostridium difficile supplement (D-Cycloserine, Cefoxitin) Selective supplement for <i>Clostridium difficile</i> isolation.	10 vials	81007
Clostridium perfringens (T.S.C.) supplement (D-Cycloserine) Selective supplement for <i>Clostridium perfringens</i> isolation (ISO 7937).	10 vials	81011
C.N. (Pseudomonas) supplement (Cetrimide, Nalidixic acid) Selective supplement for <i>Pseudomonas aeruginosa</i> isolation (ISO 12780).	10 vials	81006
C.N.A. (Staf / Strep) supplement (Colistin sulphate, Nalidixic acid) Selective supplement for staphylococci, streptococci, pneumococci isolation.	10 vials	81048
Dermatophyte supplement (Chlortetracycline) Selective supplement for dermatophytes fungi isolation.	10 vials	81025
Gardnerella vaginalis supplement (Gentamicin, Nalidixic acid, Amphotericin B) Selective supplement for <i>Gardnerella vaginalis</i> isolation.	10 vials	81040
Gentamicin supplement Selective supplement for yeasts and moulds isolation.	10 vials	81033
Haemophilus supplement (Bacitracin, Vancomycin, Clindamycin) Selective supplement for <i>Haemophilus</i> spp. isolation.	10 vials	81014
Kanamycin supplement Selective supplement for group D streptococci isolation (APHA).	10 vials	81030
Kanamycin / Polymyxin B supplement Selective supplement for <i>Clostridium perfringens</i> supplement.	10 vials	81031

Freeze-dried selective and growth supplements

Description	Packaging	Ref.
L.C.A.T. supplement (Lincomycin, Colistin sulphate, Amphotericin B, Trimethoprim) Selective supplement for pathogenic neisseriae isolation.	10 vials	81012
Legionella AB supplement Selective supplement for enrichment of <i>Legionella</i> spp.	10 vials	81099
Legionella growth supplement (L-Cysteine, Ferric pyrophosphate) Growth supplement for <i>Legionella</i> spp. isolation.	10 vials	80056
Legionella (B.C.Y.E.) growth supplement (L-Cysteine, Ferric pyrophosphate, ACES, Potassium hydroxide, Bromothymol blue, α-ketoglutarate) Growth supplement for <i>Legionella</i> spp. isolation (ISO 11731).	10 vials	81056
Legionella (B.M.P.A.) supplement (Anysomycin, Cefamandole, Polymyxin B) Selective supplement for <i>Legionella</i> spp. isolation.	10 vials	81002
Legionella (G.V.P.C.) supplement (Cycloheximide, Glycine, Polymyxin B, Vancomycin) Selective supplement for <i>Legionella</i> spp. isolation (ISO 11731).	10 vials	81008
Legionella (M.W.Y.) supplement (Anysomycin, Glycine, Plymyxin B, Vancomycin, Bromothymol blue, Bromocresol purple) Selective supplement for <i>Legionella</i> spp. isolation.	10 vials	81019
Listeria Fraser supplement (Ferric ammonium citrate) Selective supplement for <i>Listeria</i> isolation (ISO 11290-1).	10 vials	81028
Listeria Oxford supplement (Cefotetan, Fosfomycin) Selective supplement for <i>Listeria</i> isolation (ISO 11290-1).	10 vials	81027
Listeria Oxford WITH CEF/FOS/COL/CYC/ACR supplement (Cefotetan, Fosfomycin, Colistin, Cycloheximide, Acriflavine) Selective supplement for <i>Listeria</i> isolation (ISO 11290-1).	10 vials	81629
Listeria Palcam supplement (Polymyxin B, Ceftazidime, Acriflavine HCl) Selective supplement for <i>Listeria monocytogenes</i> isolation (ISO 11290-1).	10 vials	81026
Listeria supplement for enrichment (FDA/IDF) Selective supplement for <i>Listeria</i> isolation.	10 vials	81045
m-CP supplement Selective supplement for <i>Clostridium perfringens</i> isolation (D.L.vo 2/2/2001 np.31).	10 vials	81034
MUG supplement (Methylumbelliferyl-β-D-glucuronide) Supplement for <i>Escherichia coli</i> identification.	10 vials	81020
Novobiocin supplement Selective supplement for <i>Salmonella</i> isolation (ISO 6579).	10 vials	81021
O.N.P.G. 1.5% supplement (α-nitrophenyl-β-D-galactopyronoside) Supplement for enzyme β -galactosidase determination.	10 vials	81032
Preston Supplement ISO 10272-1 Selective supplement for <i>Campylobacter</i> spp. isolation (ISO 10272-1).	10 vials	81100
Rosolic acid supplement Selective supplement for faecal coliforms isolation.	10 vials	81029
R.P.F. supplement (Rabbit plasm, Bovine fibrinogen, Tripsin inhibitor, Potassium tellurite) Selective supplement for coagulase positive staphylococci identification (ISO 6888-2).	8 vials	81057
Schaedler supplement (Kanamycin, Vancomycin) Selective supplement for anaerobes isolation.	10 vials	81054
V.C.A.T. supplement (Vancomycin, Colistin sulphate, Amphotericin B, Trimethoprim) Selective supplement for pathogenic neisseria isolation.	10 vials	81041
V.C.N. supplement (Vancomycin, Colistin sulphate, Nystatin) Selective supplement for pathogenic neisseria isolation.	10 vials	81022
V.C.N.T. supplement (Vancomycin, Colistin sulphate, Nystatin, Trimethoprim) Selective supplement for pathogenic neisseria isolation.	10 vials	81024
Vancomycin (5 mg) Supplement Selective supplement for the isolation of <i>Cronobacter</i> (formerly called <i>Enterobacter</i>) <i>sakazakii</i> .	10 vials	81064
VITALEX growth supplement (Glutamine, Adenine, NAD) Growth supplement for fastidious microorganisms isolation.	10 vials	81023
Yersinia supplement (Cefsulodin, Irgasan, Novobiocin) Selective supplement for <i>Yersinia</i> spp. isolation (ISO 10273).	10 vials	81039

Liquid Supplements

Description	Packaging	Ref.
		
Egg Yolk emulsion Supplement for lecithinase producers bacteria (<i>Staphylococcus</i> , <i>Bacillus</i> and <i>Clostridium</i>) identification (ISO 7932).	4x50 mL 6x100 mL	80219 80124
Egg Yolk Tellurite emulsion Egg Yolk Tellurite emulsion 20% Supplement for coagulase positive staphylococci isolation (ISO 6888-1).	4x50 mL 4x50 mL	80122 80123
Eugon LT 100 Supplement Supplement for the enrichment and detection of aerobic bacteria in cosmetic products	4x10 mL	80048
Glycerol supplement Supplement for culture media preparation.	4x50 mL	80021
Iodine solution Supplement for culture media preparation.	5x10 mL	81009
Lecithin supplement Emulsion of lecithin.	4x50 mL	80007
Letheon supplement Sterile emulsion of lecithin for Letheon media.	4x50 mL	80008
Listeria Fraser supplement (Ferric ammonium citrate) Selective supplement for <i>Listeria</i> isolation (ISO 11290-1).	10x5 mL	80304
Middlebrook 7 H 10 supplement (Albumina Bovina, Glucosio) Supplement for Middlebrook 7 H 10 medium preparation.	4x50 mL	81035
Muller Kauffmann supplement (Iodine, Potassium iodide, Brilliant green) Selective supplement for Muller Kauffmann Broth.	2x50 mL Iodine 50 mL B.G. 0.1%	80047
O.A. Listeria supplement Supplement for selective enrichment of <i>Listeria monocytogenes</i> .	(4+4) x 500 mL	81074
Potassium tellurite 1% supplement Potassium tellurite 3.5% supplement Selective supplement for pathogenic staphylococci isolation.	5x10 mL 5x10 mL	80022 80291
Tergitol 0.2% supplement Tergitol 1.5% supplement Supplement for coliforms isolation (ISO 9308-1).	5x5 mL 4x40 mL	80035 80042
Triton X 100 supplement Selective supplement for fecal coliforms isolation.	5x5 mL	80046
TTC 1% supplement Supplement for bacteria differentiation.	5x10 mL	80300
Tween 80 supplement Supplement for culture media preparation.	2x50 mL	80031
Urea 40% supplement Supplement for urease activity of bacteria (ISO 6785) (ISO 6579).	10x5 mL 6 bottles x 100 mL	80292 80110
Vitamin K 1% supplement Growth supplement for anaerobes isolation.	5x5 mL	80053
XLT4 supplement (Tergitol 4) Selective supplement for X.L.T. 4 Agar Base.	2x50 mL	80010

Animal blood and derivates

Description	Packaging	# Product with minimum request
Bovine serum	50 mL	83830
Defibrinated horse blood	50 mL 100 mL 500 mL	83395 83396 83394
Lysed horse blood	100 mL	83397
Horse serum	100 mL	83810
Defibrinated sheep blood	25 mL 50 mL 100 mL 500 mL	83298 83296 83297 83294
Sheep Red Cells 10%	25 mL	83701

Saline solutions and sputum treatment

Description	Packaging	Ref.
DECONTAM KIT Kit for fluidification and decontamination of sputum samples to submit to culture for mycobacteria detection.	3 bottles x 9	80060
RINGER'S Solution (1/4X) Freeze-dried product for preparation of Ringer (1/4X) isotonic solution for bacteriological use.	10 vials	81059

MicroPlanet

Liofilchem® s.r.l.

Via Scozia, Zona Industriale
64026, Roseto degli Abruzzi (Te)
Italy
tel +39 0858930745
fax +39 0858930330
www.liofilchem.com



MICROPLANET LABORATORIOS, SL
www.microplanet-psl.com
info@microplanet-psl.com
Tel. 93 590 62 92